

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20191031-MH5543  
**Report Reference** MH5543-19990305  
**Issue Date** 2019-OCTOBER-31

**Issued to:** METAL GOODS MFG CO  
428 W 8Th St  
Bartlesville OK 74003-4401

**This certificate confirms that  
representative samples of**

LP-GAS CHECK VALVES & ANHYDROUS-AMMONIA  
CHECK VALVES

Please see addendum page

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:**

UL 125, Flow Control Valves for Anhydrous Ammonia and  
LP-Gas


**Additional Information:**

See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20191031-MH5543  
**Report Reference** MH5543-19990305  
**Issue Date** 2019-OCTOBER-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Product/ Models

Numbers 40, 41, 141, 166, 189, 236, 244, 245, 501, and 514 Series excess flow check valves, having two or more suffix letters as indicated by Figs. 1, 54 and 62. For models 40, 41, 141, and 189, suffix letters indicate NPT sizes where D through S represent 1/2 in. through 12 in. sizes respectively. The first and second letters indicate inlet and outlet male NPT sizes and the third and fourth letters indicate inlet and outlet female NPT sizes.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20171130-MH5543  
**Report Reference** MH5543-20171130  
**Issue Date** 2017-NOVEMBER-30

**Issued to:** METAL GOODS MFG CO  
428 W 8Th St  
Bartlesville OK 74003-4401

**This is to certify that  
representative samples of**

LP-GAS CHECK VALVES;  
ANHYDROUS-AMMONIA CHECK VALVES  
Excess flow check valve for LP-Gas and Anhydrous  
Ammonia, Models H215, H230, H315, H330, H415, H430,  
L215, L230, L315, L330, L415, and L430, followed by  
additional suffixes


Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 125, Flow Control Valves for Anhydrous Ammonia and  
LP-Gas

**Additional Information:** See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

